

Declaration of performance No. 19/2024/DS

1. Unique identification code of the product type: **Thermo 64 type steel door with fanlight(s)**
 2. Intended use(s): **Communication in domestic and commercial locations, with no fire resistance and/or smoke control properties**
 3. Manufacturer: Erkado Sp. z o.o., Osiedle POM 8, 23-275 Gościeradów
 4. Authorised representative: -
 5. System for assessment and verification of constancy of performance: **SYSTEM 3**
 - 6a. Harmonised standard: **PN-EN 14351-1:2006+A2:2016**
- Notified body or bodies: **Mobilne Laboratorium Techniki Budowlanej Sp. z o.o.**
J. Kasprówicza 21 lok. 2 58-300 Wałbrzych, **notification no. 1054**
7. Declared performance characteristics:

Essential characteristics	Performance characteristics	Harmonised technical specification
Watertight - Shielded (B)	Class 5	EN 14351-1:2006+A2:2016
Hazardous substances	NPD	
Wind load resistance - test pressure	Class 2	
Wind load resistance - frame deflection	Class A2	
Impact resistance	NPD	
Load bearing capacity of safety devices	NPD	
Height	2480 mm	
Width	1830 mm	
Ability to dismiss	NPD	
Acoustic properties	NPD	
Thermal transmittance Ud [W/m ² xK] with fanlight: - top - top and side (left or right) - top and sides (left and right) - lateral (locking or hinged) - lateral (locking and hinged)	1,1 1,2 1,3 1,1 1,3	
Air permeability	Class 2	
Radiation properties - solar radiation factor - light transmission	NPD NPD	

8. Relevant technical documentation or special technical documentation - not applicable.

The performance of the product identified above is in conformity with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer

Eugeniusz Nowosielski - Head of Administration

Gościeradów, 1.02.2024


Z upoważnienia
Zarządu
Eugeniusz Nowosielski

ERKADO Sp. z o.o.

Gościeradów-Folwark Osiedle POM 8
23-275 Gościeradów
NIP 715-19-42-790

www.erkado.pl

DRZWI WEWNĘTRZNE

Gościeradów-Folwark Osiedle POM 8
23-275 Gościeradów
tel. (15) 838 10 57, fax (15) 838 18 84
e-mail: biuro@erkado.pl

DRZWI ZEWNĘTRZNE

Chwałowice 156, 37-455 Radomyśl
tel. (15) 845 33 88, fax (15) 845 34 05
e-mail: dz@erkado.pl